

Leitlinienkoordinator*innen	Fachgesellschaft/Organisation
Prof. Dr. med. Dipl.-Psych. Mirjam N. Landgraf Sonja Strieker, M.Sc.	FASD-Expertin, Gesellschaft für Neuropädiatrie (GNP), LMU Klinikum München Wissenschaftliche Mitarbeiterin, iSPZ Hauner MUC, Dr. von Haunersches Kinderspital, LMU Klinikum München
Prof. Dr. med. Prof. h.c. Florian Heinen	Gesellschaft für Neuropädiatrie (GNP), Deutsche Gesellschaft für Kinder- und Jugendmedizin e. V. (DGKJ), LMU Klinikum München
PD Dr. sc. hum. Christine Schmucker, Dipl. Ing. Annika Ziegler, MPH	Institut für Evidenz in der Medizin am Universitätsklinikum Freiburg Institut für Evidenz in der Medizin am Universitätsklinikum Freiburg
Methodische Betreuung: Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften e.V. (AWMF)	Hintergrund
Prof. Dr. Ina Kopp (Direktorin) Dr. Monika Nothacker (Stellvertretende Direktorin)	AWMF-Institut für Medizinisches Wissensmanagement, Philipps-Universität Marburg
Mandatstragende	Fachgesellschaft/Organisation
Prof. Dr. med. Dipl.-Psych. Mirjam N. Landgraf	Gesellschaft für Neuropädiatrie (GNP)
Prof. Dr. med. Prof. h.c. Florian Heinen	Deutsche Gesellschaft für Kinder- und Jugendmedizin (DGKJ)
Prof. Dr. med. Juliane Spiegler	Deutsche Gesellschaft für Sozialpädiatrie und Jugendmedizin (DGSPJ)
Prof. Dr. med. Rolf F. Maier	Gesellschaft für Neonatologie und Pädiatrische Intensivmedizin (GNPI)
Prof. Dr. med. Silvia Lobmaier	Deutsche Gesellschaft für Perinatale Medizin (DGPM)
Prof. Dr. med. Christine Freitag Stellvertr.: Prof. Dr. med. Frank Häßler Stellvertr.: Prof. Dr. med. Eva Möhler	Deutsche Gesellschaft für Kinder- und Jugendpsychiatrie, Psychosomatik und Psychotherapie (DGKJP)
PD. Dr. med. Dietmar Schlembach	Deutsche Gesellschaft für Gynäkologie und Geburtshilfe (DGGG) Deutsche Gesellschaft für Pränatal- und Geburtsmedizin (DGPGM)
Prof. Dr. med. Bernd Lenz	Deutsche Gesellschaft für Suchtforschung und Suchttherapie (DG-Sucht)
Prof. Dr. med. Ulrich Preuß Stellvertr.: Prof. Dr. med. Markus Backmund	Deutsche Gesellschaft für Suchtmedizin (DGS)
Prof. Dr. phil. Dipl.-Psych. Tanja Hoff Andrea Köbke	Deutsche Gesellschaft für Suchtpsychologie (dg sps) Deutscher Hebammenverband (DHV)
Dr. med. Matthias Brockstedt	Berufsverband der Kinder- und Jugendärzt*innen e.V. (BVKJ)
Dr. med. Annegret Brauer	Berufsverband für Kinder- und Jugendpsychiatrie, Psychosomatik und Psychotherapie (bkjpp)
Dr. med. Gabriele Trost-Brinkhues	Bundesverband der Ärztinnen und Ärzte des Öffentlichen Gesundheitsdienstes (BVÖGD)
Dipl.-Psych. Ralph Schliewenz Stellvertr.: Dr. rer. nat. Johanna Thünker	Berufsverband Deutscher Psychologinnen und Psychologen (BDP)
FASD-Expert*innen	Hintergrund
Prof. Dr. med. Hans-Ludwig Spohr	Ehemaliger Professor des FASD-Zentrums an der Charité-Universität, Berlin
Heike Wolter	Sozialpädiatrisches Zentrum der Charité-Universität, Berlin
Dipl.-Psych. Gela Becker Stellvertr.: Lina Schwerg MSc	Direktorin des Kinderheims und FASD-Zentrums Sonnenhof, Berlin
Dr. med. Heike Hoff-Emden	Direktorin des Sozialpädiatrischen Zentrums St. Georg, Leipzig
Dr. Dipl.-Psych. Reinhold Feldmann	FASD-Zentrum der Universität Münster
Dr. med. Dorothee Veer	FASD-Zentrum am Sozialpädiatrischen Zentrum des Krankenhauses Ludmillestift, Meppen
Dr. med. Kristina Kölzsch	Sozialpädiatrisches Zentrum am Carl-Thiem-Klinikum, Cottbus
Dipl.-Psych. Jessica Wagner & Dr. med. Björn Kruse	FASD-Zentrum für Erwachsene am Krankenhaus Elisabeth-Herzberge, Berlin
Gila Schindler	Klinik für Kinder- und Jugendpsychiatrie, kbo Heckscher-Klinikum, München
Dr. med. Anna Hutzelmeyer-Nickels	Fürsprecherin für Kinder- und Jugendrechte, spezialisiert auf FASD
Patientenvertretung FASD Deutschland e. V.	Hintergrund
Dipl.-Soz.-Päd. Gisela Michalowski Stellvertr.: Katrin Lepke	Präsidentin der Patientenvertretung FASD Deutschland e. V.
Sandra Kramme	Vorstandsmitglied der Patientenvertretung FASD Deutschland e. V.

Literaturverzeichnis

1. Robert-Koch-Institut. GEDA - Studie zur Gesundheit in Deutschland des Robert Koch Instituts.: Deutscher Bundestag; 2012. Available at: <http://dip21.bundestag.de/dip21/btd/18/033/1803378.pdf>. Accessed April 14, 2025.
2. Bakhireva LN, Sharkis J, Shrestha S, Miranda-Sohrabji TJ, Williams S, Miranda RC. Prevalence of Prenatal Alcohol Exposure in the State of Texas as Assessed by Phosphatidylethanol in Newborn Dried Blood Spot Specimens. *Alcohol Clin Exp Res*. 2017;41(5):1004–11.
3. McCormack C, Hutchinson D, Burns L, Wilson J, Elliott E, Allsop S, et al. Prenatal Alcohol Consumption Between Conception and Recognition of Pregnancy. *Alcohol Clin Exp Res*. 2017;41(2):369–78.
4. Popova S, Lange S, Probst C, Gmel G, Rehm J. Estimation of national, regional, and global prevalence of alcohol use during pregnancy and fetal alcohol syndrome: a systematic review and meta-analysis. *The Lancet Global Health*. 2017;5(3):e290–e9.
5. Howard JT, Perrotte JK, Flores K, Leong C, Nocito JD, 3rd, Howard KJ. Trends in Binge Drinking and Heavy Alcohol Consumption Among Pregnant Women in the US, 2011 to 2020. *JAMA Netw Open*. 2022;5(8):e2224846.
6. Lange S, Probst C, Gmel G, Rehm J, Burd L, Popova S. Global Prevalence of Fetal Alcohol Spectrum Disorder Among Children and Youth. *JAMA Pediatrics*. 2017;171(10):948.
7. Streissguth AP, Bookstein FL, Barr HM, Sampson PD, O'malley K, Young JK. Risk factors for adverse life outcomes in fetal alcohol syndrome and fetal alcohol effects. *Journal of Developmental & Behavioral Pediatrics*. 2004;25(4):228–38.
8. Freunschit I, Feldmann R. Young adults with Fetal Alcohol Syndrome (FAS): social, emotional and occupational development. *Klin Padiatr*. 2011;223(1):33–7.
9. Landgraf MN, Schmucker C, Heinen F, Ziegler A, Kopp I, Strieker S. Diagnosis of fetal alcohol spectrum disorders: German guideline version 2024. *European Journal of Paediatric Neurology*. 2024;53:155–65.
10. Klug MG, Burd L, Martsof JT, Ebertowski M. Body mass index in fetal alcohol syndrome. *Neurotoxicol Teratol*. 2003;25(6):689–96.
11. Day NL, Leech SL, Richardson GA, Cornelius MD, Robles N, Larkby C. Prenatal alcohol exposure predicts continued deficits in offspring size at 14 years of age. *Alcohol Clin Exp Res*. 2002;26(10):1584–91.
12. Hasken JM, Marais AS, Vries Md, Joubert B, Cloete M, Botha I, et al. Gestational age and birth growth parameters as early predictors of fetal alcohol spectrum disorders. *Alcoholism: Clinical and Experimental Research*. 2021;45(8):1624–38.
13. Carter RC, Jacobson JL, Molteno CD, Dodge NC, Meintjes EM, Jacobson SW. Fetal Alcohol Growth Restriction and Cognitive Impairment. *Pediatrics*. 2016;138(2).
14. May PA, Hasken JM, Manning MA, Robinson LK, Abdul-Rahman O, Adam MP, et al. Characteristic physical traits of first-grade children in the United States with fetal alcohol spectrum disorders (FASD) and associated alcohol and drug exposures. *Am J Med Genet A*. 2022;188(7):2019–35.
15. Astley SJ, Bledsoe JM, Davies JK. The Essential Role of Growth Deficiency in the Diagnosis of Fetal Alcohol Spectrum Disorder. *Adv Pediatr Res*. 2016;3(3).
16. Kalberg WO, May PA, Buckley D, Hasken JM, Marais AS, Vries MMd, et al. Early-Life Predictors of Fetal Alcohol Spectrum Disorders. *Pediatrics*. 2019;144(6).
17. O'Leary C, Nassar N, Kurinczuk J, Bower C. The effect of maternal alcohol consumption on fetal growth and preterm birth. *BJOG: An International Journal of Obstetrics & Gynaecology*. 2009;116(3):390–400.
18. Astley SJ, Clarrén SK. A fetal alcohol syndrome screening tool. *Alcohol Clin Exp Res*. 1995;19(6):1565–71.
19. Moore ES, Ward RE, Wetherill LF, Rogers JL, Autti-Rämö I, Fagerlund Å, et al. Unique Facial Features Distinguish Fetal Alcohol Syndrome Patients and Controls in Diverse Ethnic Populations. *Alcoholism: Clinical and Experimental Research*. 2007;31(10):1707–13.
20. Fang S, McLaughlin J, Fang J, Huang J, Autti-Rämö I, Fagerlund A, et al. Automated diagnosis of fetal alcohol syndrome using 3D facial image analysis. *Orthod Craniofac Res*. 2008;11(3):162–71.
21. Kalberg WO, May PA, Blankenship J, Buckley D, Gossage JP, Adnams CM. A Practical Testing Battery to Measure Neurobehavioral Ability among Children with FASD. *Int J Alcohol Drug Res*. 2013;2(3):51–60.
22. Suttie M, Foroud T, Wetherill L, Jacobson JL, Molteno CD, Meintjes EM, et al. Facial dysmorphism across the fetal alcohol spectrum. *Pediatrics*. 2013;131(3):e779–88.
23. Kuehn D, Aros S, Cassorla F, Avaria M, Unanue N, Henriquez C, et al. A prospective cohort study of the prevalence of growth, facial, and central nervous system abnormalities in children with heavy prenatal alcohol exposure. *Alcohol Clin Exp Res*. 2012;36(10):1811–9.
24. Feldman HS, Jones KL, Lindsay S, Slymen D, Klonoff-Cohen H, Kao K, et al. Prenatal alcohol exposure patterns and alcohol-related birth defects and growth deficiencies: a prospective study. *Alcohol Clin Exp Res*. 2012;36(4):670–6.
25. Yang Y, Roussotte F, Kan E, Sulik KK, Mattson SN, Riley EP, et al. Abnormal cortical thickness alterations in fetal alcohol spectrum disorders and their relationships with facial dysmorphism. *Cereb Cortex*. 2012;22(5):1170–9.
26. Kesmodel US, Nygaard SS, Mortensen EL, Bertrand J, Denny CH, Glidewell A, et al. Are Low-to-Moderate Average Alcohol Consumption and Isolated Episodes of Binge Drinking in Early Pregnancy Associated with Facial Features Related to Fetal Alcohol Syndrome in 5-Year-Old Children? *Alcohol Clin Exp Res*. 2019;43(6):1199–212.
27. Suttie M, Wozniak JR, Parnell SE, Wetherill L, Mattson SN, Sowell ER, et al. Combined Face-Brain Morphology and Associated Neurocognitive Correlates in Fetal Alcohol Spectrum Disorders. *Alcohol Clin Exp Res*. 2018;42(9):1769–82.
28. Blanck-Lubarsch M, Dirksen D, Feldmann R, Sauerland C, Hohoff A. 3D-Analysis of Mouth, Nose and Eye Parameters in Children with Fetal Alcohol Syndrome (FAS). *Int J Environ Res Public Health*. 2019;16(14).
29. Blanck-Lubarsch M, Dirksen D, Feldmann R, Sauerland C, Hohoff A. Children with Fetal Alcohol Syndrome (FAS): 3D-Analysis of Palatal Depth and 3D-Metric Facial Length. *Int J Environ Res Public Health*. 2019;17(1).
30. Blanck-Lubarsch M, Dirksen D, Feldmann R, Sauerland C, Kirschneck C, Hohoff A. 3D Analysis of Philtrum Depth in Children with Fetal Alcohol Syndrome. *Alcohol Alcohol*. 2019;54(2):152–8.
31. Gomez DA, May PA, Tabachnick BG, Hasken JM, Lyden ER, Kalberg WO, et al. Ocular measurements in fetal alcohol spectrum disorders. *Am J Med Genet A*. 2020;182(10):2243–52.
32. Abell K, May W, May PA, Kalberg W, Hoyme HE, Robinson LK, et al. Fetal alcohol spectrum disorders and assessment of maxillary and mandibular arc measurements. *Am J Med Genet A*. 2016;170(7):1763–71.
33. Astley SJ. Canadian palpebral fissure length growth charts reflect a good fit for two school and FASD clinic-based U.S. populations. *J Popul Ther Clin Pharmacol*. 2011;18(2):e231–41.
34. Clarrén SK, Chudley AE, Wong L, Friesen J, Brant R. Normal distribution of palpebral fissure lengths in Canadian school age children. *Can J Clin Pharmacol*. 2010;17(1):e67–78.
35. Nash K, Stevens S, Rovet J, Fantus E, Nulman I, Sorbara D, et al. Towards identifying a characteristic neuropsychological profile for fetal alcohol spectrum disorders. 1. Analysis of the Motherisk FASD clinic. *J Popul Ther Clin Pharmacol*. 2013;20(1):e44–52.
36. Quattlebaum JL, O'Connor MJ. Higher functioning children with prenatal alcohol exposure: is there a specific neurocognitive profile? *Child Neuropsychol*. 2013;19(6):561–78.
37. Pei J, Denys K, Hughes J, Rasmussen C. Mental health issues in fetal alcohol spectrum disorder. *J Ment Health*. 2011;20(5):438–48.
38. Rasmussen C, Soleimani M, Pei J. Executive functioning and working memory deficits on the CANTAB among children with prenatal alcohol exposure. *J Popul Ther Clin Pharmacol*. 2011;18(1):e44–53.
39. Duval-White CJ, Jirikowic T, Rios D, Deitz J, Olson HC. Functional handwriting performance in school-age children with fetal alcohol spectrum disorders. *Am J Occup Ther*. 2013;67(5):534–42.
40. Williams L, Jackson CP, Choe N, Pelland L, Scott SH, Reynolds JN. Sensory-motor deficits in children with fetal alcohol spectrum disorder assessed using a robotic virtual reality platform. *Alcohol Clin Exp Res*. 2014;38(1):116–25.
41. Paolozza A, Titman R, Brien D, Munoz DP, Reynolds JN. Altered accuracy of saccadic eye movements in children with fetal alcohol spectrum disorder. *Alcohol Clin Exp Res*. 2013;37(9):1491–8.
42. Mattson SN, Roesch SC, Glass L, Deweese BN, Coles CD, Kable JA, et al. Further development of a neurobehavioral profile of fetal alcohol spectrum disorders. *Alcohol Clin Exp Res*. 2013;37(3):517–28.
43. Maliszka KL, Buss JL, Bolster RB, Gervai PDD, Woods-Frohlich L, Summers R, et al. Comparison of spatial working memory in children with prenatal alcohol exposure and those diagnosed with ADHD: A functional magnetic resonance imaging study. *J Neurodev Disord*. 2012;4(1):12.
44. Coles CD, Kalberg W, Kable JA, Tabachnick B, May PA, Chambers CD. Characterizing Alcohol-Related Neurodevelopmental Disorder: Prenatal Alcohol Exposure and the Spectrum of Outcomes. *Alcohol Clin Exp Res*. 2020;44(6):1245–60.
45. Coles CD, Kable JA, Granovska IV, Pashtepa AO, Wiertelicki W, Chambers CD, et al. Measurement of neurodevelopmental effects of prenatal alcohol exposure in Ukrainian preschool children. *Child Neuropsychol*. 2021;27(8):1088–103.
46. Stevens SA, Nash K, Fantus E, Nulman I, Rovet J, Koren G. Towards identifying a characteristic neuropsychological profile for fetal alcohol spectrum disorders. 2. Specific caregiver-and teacher-rating. *J Popul Ther Clin Pharmacol*. 2013;20(1):e53–62.
47. Ware AL, Crocker N, O'Brien JW, Deweese BN, Roesch SC, Coles CD, et al. Executive function predicts adaptive behavior in children with histories of heavy prenatal alcohol exposure and attention-deficit/hyperactivity disorder. *Alcohol Clin Exp Res*. 2012;36(8):1431–41.
48. Rockhold MN, Krueger AM, Water Ed, Lindgren CW, Sandness KE, Eckerle JK, et al. Executive and Social Functioning Across Development in Children and Adolescents With Prenatal Alcohol Exposure. *Alcohol Clin Exp Res*. 2021;45(2):457–69.
49. Lindinger NM, Jacobson JL, Dodge NC, Malcolm-Smith S, Molteno CD, Meintjes EM, et al. Stability and change in the interpretation of facial emotions in fetal alcohol spectrum disorders from childhood to adolescence. *Alcohol Clin Exp Res*. 2022;46(7):1268–81.
50. Lewis CE, Thomas KG, Dodge NC, Molteno CD, Meintjes EM, Jacobson JL, et al. Verbal learning and memory impairment in children with fetal alcohol

- spectrum disorders. *Alcohol Clin Exp Res*. 2015;39(4):724–32.
51. Hemington KS, Reynolds JN. Electroencephalographic correlates of working memory deficits in children with Fetal Alcohol Spectrum Disorder using a single-electrode pair recording device. *Clin Neurophysiol*. 2014;125(12):2364–71.
 52. Zhou D, Rasmussen C, Pei J, Andrew G, Reynolds JN, Beaulieu C. Preserved cortical asymmetry despite thinner cortex in children and adolescents with prenatal alcohol exposure and associated conditions. *Hum Brain Mapp*. 2018;39(1):72–88.
 53. Coles CD, Platzman KA, Lynch ME, Freides D. Auditory and visual sustained attention in adolescents prenatally exposed to alcohol. *Alcohol Clin Exp Res*. 2002;26(2):263–71.
 54. Nash K, Koren G, Rovet J. A differential approach for examining the behavioural phenotype of fetal alcohol spectrum disorders. *J Popul Ther Clin Pharmacol*. 2011;18(3):e440–53.
 55. Han JY, Kwon HJ, Ha M, Paik KC, Lim MH, Gyu Lee S, et al. The effects of prenatal exposure to alcohol and environmental tobacco smoke on risk for ADHD: a large population-based study. *Psychiatry Res*. 2015;225(1–2):164–8.
 56. Lane KA, Stewart J, Fernandes T, Russo N, Enns JT, Burack JA. Complexities in understanding attentional functioning among children with fetal alcohol spectrum disorder. *Front Hum Neurosci*. 2014;8:119.
 57. Glass L, Graham DM, Deweese BN, Jones KL, Riley EP, Mattson SN. Correspondence of parent report and laboratory measures of inattention and hyperactivity in children with heavy prenatal alcohol exposure. *Neurotoxicol Teratol*. 2014;42:43–50.
 58. Paolozza A, Rasmussen C, Pei J, Hanlon-Dearman A, Nikkel SM, Andrew G, et al. Working memory and visuospatial deficits correlate with oculomotor control in children with fetal alcohol spectrum disorder. *Behav Brain Res*. 2014;263:70–9.
 59. O'Brien JW, Norman AL, Fryer SL, Tapert SF, Paulus MP, Jones KL, et al. Effect of predictive cuing on response inhibition in children with heavy prenatal alcohol exposure. *Alcohol Clin Exp Res*. 2013;37(4):644–54.
 60. Fuglestad AJ, Whitley ML, Carlson SM, Boys CJ, Eckerle JK, Fink BA, et al. Executive functioning deficits in preschool children with Fetal Alcohol Spectrum Disorders. *Child Neuropsychol*. 2015;21(6):716–31.
 61. Fagerlund A, Autti-Ramo I, Hoyme HE, Mattson SN, Korkman M. Risk factors for behavioural problems in foetal alcohol spectrum disorders. *Acta Paediatr*. 2011;100(11):1481–8.
 62. Ware AL, Glass L, Crocker N, Deweese BN, Coles CD, Kable JA, et al. Effects of prenatal alcohol exposure and attention-deficit/hyperactivity disorder on adaptive functioning. *Alcohol Clin Exp Res*. 2014;38(5):1439–47.
 63. Pearton JL, Ramugondo E, Cloete L, Cordier R. Playfulness and prenatal alcohol exposure: a comparative study. *Aust Occup Ther J*. 2014;61(4):259–67.
 64. Fagerlund A, Autti-Ramo I, Kalland M, Santtila P, Hoyme HE, Mattson SN, et al. Adaptive behaviour in children and adolescents with foetal alcohol spectrum disorders: a comparison with specific learning disability and typical development. *Eur Child Adolesc Psychiatry*. 2012;21(4):221–31.
 65. Stevens SA, Clairman H, Nash K, Rovet J. Social perception in children with fetal alcohol spectrum disorder. *Child Neuropsychol*. 2017;23(8):980–93.
 66. Ronen D, Senecky Y, Chodick G, Ganelin-Cohen E. The contribution of the Neurobehavioral Screening Tool to identifying fetal alcohol spectrum disorders in children at high risk of prenatal alcohol exposure and neurobehavioral deficits. *Early Hum Dev*. 2022;170:105608.
 67. Lucas BR, Latimer J, Fitzpatrick JP, Doney R, Watkins RE, Tsang TW, et al. Soft neurological signs and prenatal alcohol exposure: a population-based study in remote Australia. *Dev Med Child Neurol*. 2016;58(8):861–7.
 68. Lucas BR, Latimer J, Doney R, Watkins RE, Tsang TW, Hawkes G, et al. Gross motor performance in children prenatally exposed to alcohol and living in remote Australia. *J Paediatr Child Health*. 2016;52(8):814–24.
 69. Lucas BR, Latimer J, Pinto RZ, Ferreira ML, Doney R, Lau M, et al. Gross motor deficits in children prenatally exposed to alcohol: a meta-analysis. *Pediatrics*. 2014;134(1):e192–209.
 70. Paolozza A, Rasmussen C, Pei J, Hanlon-Dearman A, Nikkel SM, Andrew G, et al. Deficits in response inhibition correlate with oculomotor control in children with fetal alcohol spectrum disorder and prenatal alcohol exposure. *Behav Brain Res*. 2014;259:97–105.
 71. Bell SH, Stade B, Reynolds JN, Rasmussen C, Andrew G, Hwang PA, et al. The remarkably high prevalence of epilepsy and seizure history in fetal alcohol spectrum disorders. *Alcohol Clin Exp Res*. 2010;34(6):1084–9.
 72. Astley SJ, Aylward EH, Olson HC, Kerns K, Brooks A, Coggins TE, et al. Magnetic resonance imaging outcomes from a comprehensive magnetic resonance study of children with fetal alcohol spectrum disorders. *Alcohol Clin Exp Res*. 2009;33(10):1671–89.
 73. May PA, Baete A, Russo J, Elliott AJ, Blankenship J, Kalberg WO, et al. Prevalence and characteristics of fetal alcohol spectrum disorders. *Pediatrics*. 2014;134(5):855–66.
 74. May PA, Baete A, Russo J, Elliott AJ, Blankenship J, Kalberg WO, et al. Prevalence and characteristics of fetal alcohol spectrum disorders. *Pediatrics*. 2014;134(5):855–66.
 75. Yang Y, Phillips OR, Kan E, Sulik KK, Mattson SN, Riley EP, et al. Callosal thickness reductions relate to facial dysmorphology in fetal alcohol spectrum disorders. *Alcohol Clin Exp Res*. 2012;36(5):798–806.
 76. Lange S, Shield K, Rehm J, Anagnostou E, Popova S. Fetal alcohol spectrum disorder: neurodevelopmentally and behaviorally indistinguishable from other neurodevelopmental disorders. *BMC Psychiatry*. 2019;19(1):322.
 77. Treit S, Chen Z, Zhou D, Baugh L, Rasmussen C, Andrew G, et al. Sexual dimorphism of volume reduction but not cognitive deficit in fetal alcohol spectrum disorders: A combined diffusion tensor imaging, cortical thickness and brain volume study. *Neuroimage Clin*. 2017;15:284–97.
 78. Hemingway SJA, Davies JK, Jirikowic T, Olson EM. What proportion of the brain structural and functional abnormalities observed among children with fetal alcohol spectrum disorder is explained by their prenatal alcohol exposure and their other prenatal and postnatal risks? *Adv Pediatr Res*. 2020;7.
 79. Carter RC, Jacobson JL, Sokol RJ, Avison MJ, Jacobson SW. Fetal alcohol-related growth restriction from birth through young adulthood and moderating effects of maternal prepregnancy weight. *Alcohol Clin Exp Res*. 2013;37(3):452–62.
 80. Handmaker NS, Rayburn WF, Meng C, Bell JB, Rayburn BB, Rappaport VJ. Impact of alcohol exposure after pregnancy recognition on ultrasonographic fetal growth measures. *Alcohol Clin Exp Res*. 2006;30(5):892–8.
 81. Chandran S, Sreeraj VS, Venkatasubramanian G, Sathyaprabha TN, Murthy P. Corpus callosum morphometry in children with prenatal alcohol exposure. *Psychiatry Res Neuroimaging*. 2021;318:111405.
 82. Spadoni AD, McGee CL, Fryer SL, Riley EP. Neuroimaging and fetal alcohol spectrum disorders. *Neurosci Biobehav Rev*. 2007;31(2):239–45.
 83. Lebel C, Roussotte F, Sowell ER. Imaging the impact of prenatal alcohol exposure on the structure of the developing human brain. *Neuropsychol Rev*. 2011;21(2):102–18.
 84. Sowell ER, Thompson PM, Mattson SN, Tessner KD, Jernigan TL, Riley EP, et al. Regional brain shape abnormalities persist into adolescence after heavy prenatal alcohol exposure. *Cereb Cortex*. 2002;12(8):856–65.
 85. Sowell ER, Jernigan TL, Mattson SN, Riley EP, Sobel DF, Jones KL. Abnormal development of the cerebellar vermis in children prenatally exposed to alcohol: size reduction in lobules I–V. *Alcohol Clin Exp Res*. 1996;20(1):31–4.
 86. Sowell ER, Mattson SN, Kan E, Thompson PM, Riley EP, Toga AW. Abnormal cortical thickness and brain-behavior correlation patterns in individuals with heavy prenatal alcohol exposure. *Cereb Cortex*. 2008;18(1):136–44.
 87. Cortese BM, Moore GJ, Bailey BA, Jacobson SW, Delaney-Black V, Hannigan JH. Magnetic resonance and spectroscopic imaging in prenatal alcohol-exposed children: preliminary findings in the caudate nucleus. *Neurotoxicol Teratol*. 2006;28(5):597–606.
 88. Autti-Rämö I, Autti T, Korkman M, Kettunen S, Salonen O, Valanne L. MRI findings in children with school problems who had been exposed prenatally to alcohol. *Dev Med Child Neurol*. 2002;44(2):98–106.
 89. Riley EP, Mattson SN, Sowell ER, Jernigan TL, Sobel DF, Jones KL. Abnormalities of the corpus callosum in children prenatally exposed to alcohol. *Alcohol Clin Exp Res*. 1995;19(5):1198–202.
 90. Coles CD, Goldstein FC, Lynch ME, Chen X, Kable JA, Johnson KC, et al. Memory and brain volume in adults prenatally exposed to alcohol. *Brain and Cognition*. 2011;75(1):67–77.
 91. Willoughby KA, Sheard ED, Nash K, Rovet J. Effects of prenatal alcohol exposure on hippocampal volume, verbal learning, and verbal and spatial recall in late childhood. *J Int Neuropsychol Soc*. 2008;14(6):1022–33.
 92. Nardelli A, Lebel C, Rasmussen C, Andrew G, Beaulieu C. Extensive deep gray matter volume reductions in children and adolescents with fetal alcohol spectrum disorders. *Alcohol Clin Exp Res*. 2011;35(8):1404–17.
 93. Zhou D, Lebel C, Lepage C, Rasmussen C, Evans A, Wyper K, et al. Developmental cortical thinning in fetal alcohol spectrum disorders. *Neuroimage*. 2011;58(1):16–25.
 94. Lebel C, Rasmussen C, Wyper K, Walker L, Andrew G, Yager J, et al. Brain diffusion abnormalities in children with fetal alcohol spectrum disorder. *Alcohol Clin Exp Res*. 2008;32(10):1732–40.
 95. Wozniak JR, Muetzel RL, Mueller BA, McGee CL, Freerks MA, Ward EE, et al. Microstructural corpus callosum anomalies in children with prenatal alcohol exposure: an extension of previous diffusion tensor imaging findings. *Alcohol Clin Exp Res*. 2009;33(10):1825–35.
 96. Jacobson SW, Jacobson JL, Molteno CD, Warton CMR, Wintermark P, Hoyme HE, et al. Heavy Prenatal Alcohol Exposure is Related to Smaller Corpus Callosum in Newborn MRI Scans. *Alcohol Clin Exp Res*. 2017;41(5):965–75.
 97. Biffen SC, Warton CMR, Lindinger NM, Randall SR, Lewis CE, Molteno CD, et al. Reductions in Corpus Callosum Volume Partially Mediate Effects of Prenatal Alcohol Exposure on IQ. *Front Neuroanat*. 2017;11:132.
 98. Roediger DJ, Krueger AM, Water Ed, Mueller BA, Boys CA, Hendrickson TJ, et al. Hippocampal subfield abnormalities and memory functioning in children with fetal alcohol spectrum disorders. *Neurotoxicol Teratol*. 2021;83:106944.
 99. Treit S, Jeffery D, Beaulieu C, Emery D. Radiological Findings on Structural Magnetic Resonance Imaging in Fetal Alcohol Spectrum Disorders and Healthy Controls. *Alcohol Clin Exp Res*. 2020;44(2):455–62.

100. Hendrickson TJ, Mueller BA, Sowell ER, Mattson SN, Coles CD, Kable JA, et al. Two-year cortical trajectories are abnormal in children and adolescents with prenatal alcohol exposure. *Dev Cogn Neurosci*. 2018;30:123–33.
101. Donald KA, Roos A, Fouche JP, Koen N, Howells FM, Woods RP, et al. A study of the effects of prenatal alcohol exposure on white matter microstructural integrity at birth. *Acta Neuropsychiatr*. 2015;27(4):197–205.
102. Fan J, Jacobson SW, Taylor PA, Molteno CD, Dodge NC, Stanton ME, et al. White matter deficits mediate effects of prenatal alcohol exposure on cognitive development in childhood. *Hum Brain Mapp*. 2016;37(8):2943–58.
103. McLachlan K, Vavasour I, MacKay A, Brain U, Oberlander T, Look C, et al. Myelin Water Fraction Imaging of the Brain in Children with Prenatal Alcohol Exposure. *Alcohol Clin Exp Res*. 2019;43(5):833–41.
104. Archibald SL, Fennema-Notestine C, Gamst A, Riley EP, Mattson SN, Jernigan TL. Brain dysmorphology in individuals with severe prenatal alcohol exposure. *Developmental Medicine and Child Neurology*. 2001;43(03):148.
105. Bjorkquist OA, Fryer SL, Reiss AL, Mattson SN, Riley EP. Cingulate gyrus morphology in children and adolescents with fetal alcohol spectrum disorders. *Psychiatry Res*. 2010;181(2):101–7.
106. Lange S, Shield K, Rehm J, Popova S. Prevalence of fetal alcohol spectrum disorders in child care settings: a meta-analysis. *Pediatrics*. 2013;132(4):e980–95.
107. Petryk S, Siddiqui MA, Ekeh J, Pandey M. Prenatal alcohol history - setting a threshold for diagnosis requires a level of detail and accuracy that does not exist. *BMC Pediatr*. 2019;19(1):372.
108. Hemingway SJA, Bledsoe JM, Brooks A, Davies JK, Jirikowic T, Olson E, et al. Comparison of the 4-Digit Code, Canadian 2015, Australian 2016 and Hoyme 2016 fetal alcohol spectrum disorder diagnostic guidelines. *Adv Pediatr Res*. 2019;6(2).
109. Lebel C, Mattson SN, Riley EP, Jones KL, Adnams CM, May PA, et al. A longitudinal study of the long-term consequences of drinking during pregnancy: heavy in utero alcohol exposure disrupts the normal processes of brain development. *J Neurosci*. 2012;32(44):15243–51.
110. Mattson SN, Roesch SC, Fagerlund A, Autti-Ramo I, Jones KL, May PA, et al. Toward a neurobehavioral profile of fetal alcohol spectrum disorders. *Alcohol Clin Exp Res*. 2010;34(9):1640–50.
111. Aragon AS, Coriale G, Fiorentino D, Kalberg WO, Buckley D, Gossage JP, et al. Neuropsychological characteristics of Italian children with fetal alcohol spectrum disorders. *Alcohol Clin Exp Res*. 2008;32(11):1909–19.
112. Dudek J, Skocic J, Sheard E, Rovet J. Hippocampal abnormalities in youth with alcohol-related neurodevelopmental disorder. *J Int Neuropsychol Soc*. 2014;20(2):181–91.
113. Norman AL, O'Brien JW, Spadoni AD, Tapert SF, Jones KL, Riley EP, et al. A functional magnetic resonance imaging study of spatial working memory in children with prenatal alcohol exposure: contribution of familial history of alcohol use disorders. *Alcohol Clin Exp Res*. 2013;37(1):132–40.
114. Alex K, Feldmann R. Children and adolescents with fetal alcohol syndrome (FAS): better social and emotional integration after early diagnosis. *Klin Padiatr*. 2012;224(2):66–71.
115. Pinner JFL, Coffman BA, Stephen JM. Covariation Between Brain Function (MEG) and Structure (DTI) Differentiates Adolescents with Fetal Alcohol Spectrum Disorder from Typically Developing Controls. *Neuroscience*. 2020;449:74–87.
116. Kerns KA, Siklos S, Baker L, Muller U. Emotion recognition in children with Fetal Alcohol Spectrum Disorders. *Child Neuropsychol*. 2016;22(3):255–75.
117. Thorne JC, Coggins T. A diagnostically promising technique for tallying nominal reference errors in the narratives of school-aged children with fetal alcohol spectrum disorders (FASD). *Int J Lang Commun Disord*. 2008;43(5):570–94.
118. Vaurio L, Riley EP, Mattson SN. Neuropsychological comparison of children with heavy prenatal alcohol exposure and an IQ-matched comparison group. *J Int Neuropsychol Soc*. 2011;17(3):463–73.
119. Carter RC, Jacobson JL, Molteno CD, Jiang H, Meintjes EM, Jacobson SW, et al. Effects of heavy prenatal alcohol exposure and iron deficiency anemia on child growth and body composition through age 9 years. *Alcohol Clin Exp Res*. 2012;36(11):1973–82.
120. Bertrand J, Floyd L, Weber MK. Fetal alcohol syndrome. Guidelines for referral and diagnosis. 2005.
121. Cook JL, Green CR, Lilley CM, Anderson SM, Baldwin ME, Chudley AE, et al. Fetal alcohol spectrum disorder: a guideline for diagnosis across the lifespan. *Cmaj*. 2016;188(3):191–7.
122. Astley SJ. Diagnostic Guide for Fetal Alcohol Spectrum Disorders: The 4-Digit Diagnostic Code. Third edition. Available at: <https://depts.washington.edu/fasdpn/pdfs/guide2004.pdf>. Accessed April 14, 2025.
123. Astley SJ. Validation of the fetal alcohol spectrum disorder (FASD) 4-Digit Diagnostic Code. *J Popul Ther Clin Pharmacol*. 2013;20(3):e416–67.
124. Stromland K, Chen Y, Norberg T, Wennerstrom K, Michael G. Reference values of facial features in Scandinavian children measured with a range-camera technique. *Scand J Plast Reconstr Surg Hand Surg*. 1999;33(1):59–65.
125. Broccia M, Vikre-Jørgensen J, Rausgaard NLK. [A Danish fetal alcohol spectrum disorders definition]. *Ugeskr Laeger*. 2017;179(32).
126. Okulicz-Kozaryn K, Maryniak A, Borkowska M, Śmigiel R, Dylag KA. Diagnosis of Fetal Alcohol Spectrum Disorders (FASDs): Guidelines of Interdisciplinary Group of Polish Professionals. *Int J Environ Res Public Health*. 2021;18(14).
127. Hoyme HE, Kalberg WO, Elliott AJ, Blankenship J, Buckley D, Marais AS, et al. Updated Clinical Guidelines for Diagnosing Fetal Alcohol Spectrum Disorders. *Pediatrics*. 2016;138(2).
128. Kable JA, Mukherjee RA. Neurodevelopmental disorder associated with prenatal exposure to alcohol (ND-PAE): A proposed diagnostic method of capturing the neurocognitive phenotype of FASD. *Eur J Med Genet*. 2017;60(1):49–54.
129. Hagan JF, Jr., Balachova T, Bertrand J, Chasnoff I, Dang E, Fernandez-Baca D, et al. Neurobehavioral Disorder Associated With Prenatal Alcohol Exposure. *Pediatrics*. 2016;138(4).
130. Regional Competence Center for children with prenatal alcohol and/or drug exposure S-EHRR-MHSHA. Norwegian Clinical Guideline for Diagnostic Assessment of Fetal Alcohol Spectrum Disorder (FASD) in Childhood and Adolescence 2024 28.02.2025].
131. Bower C, Elliott EJ, Zimmet M, Doorey J, Wilkins A, Russell V, et al. Australian guide to the diagnosis of foetal alcohol spectrum disorder: A summary. *J Paediatr Child Health*. 2017;53(10):1021–3.
132. Bertrand J, Floyd RL, Weber MK. Guidelines for identifying and referring persons with fetal alcohol syndrome. *Morbidity and Mortality Weekly Report: Recommendations and Reports*. 2005;54(11):1-CE-4.
133. AWMF (Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften e.V.). S3-Leitlinie Fetale Alkoholspektrumstörungen (FASD) bei Kindern und Jugendlichen - Diagnostik & Intervention - Living Guideline: AWMF-Register; 2024. Available from: <https://register.awmf.org/de/leitlinien/detail/022-025>. Accessed April 14, 2025.